

**To:** Carlin, Jayne[Carlin.Jayne@epa.gov]; Powers, David[Powers.David@epa.gov];  
allison.castellan@noaa.gov[allison.castellan@noaa.gov]; Wayne, Don[Wayne.Don@epa.gov]  
**From:** Wu, Jennifer  
**Sent:** Tue 4/2/2013 11:01:52 PM  
**Subject:** FW: EPA/NOAA Contact for Tenmile Lakefront Owners

See email below re: EPA or NOAA contact on CNPCP management measure for OSDS.

**From:** FOSTER Eugene P [mailto:FOSTER.Eugene@deq.state.or.us]  
**Sent:** Tuesday, April 02, 2013 4:00 PM  
**To:** Wu, Jennifer  
**Subject:** FW: EPA/NOAA Contact for Tenmile Lakefront Owners

Hi Jenny - do you have a recommendation for a contact at EPA &/or NOAA for the On-site CNPCP management measure?

thanks

Gene

**From:** KUCINSKI Michael  
**Sent:** Tuesday, April 02, 2013 3:43 PM  
**To:** TARNOW Karen E; ALDRICH Greg; FOSTER Eugene P; YON Donald R  
**Subject:** EPA/NOAA Contact for Tenmile Lakefront Owners

Good afternoon.

After the public hearing on HB 3172 last week, the Tenmile Lakefront Owners approached me and were looking for a contact at EPA and/or NOAA to talk to about the CZARA requirements, management measures, water quality, etc...

I told them I would see if I could find a contact or two and get them a name and number.

Can you please tell me the best person(s) to get them in contact with?

I believe that they have questions regarding EPA/NOAA approval of our CNPCP, specifically the management measure for onsite septic systems.

Thanks,

Mike

=====

Michael E. Kucinski

Water Quality/Onsite Manager

165 East 7th Avenue, Suite 100

Eugene, OR 97401-3049

Office: 541.687.7331

Mobile: 541.214.0101

Toll In Oregon: 800.844.8467

[kucinski.michael@deq.state.or.us](mailto:kucinski.michael@deq.state.or.us)

[www.oregon.gov/deq](http://www.oregon.gov/deq)